

SAFETY DATA SHEET

WF 502 and 503

PRINT DATE: 10/21/19

1. PRODUCT IDENTIFICATION

PRODUCT NAME WASHFAST WF 502 and 503 SUPPLIED BYPRO Chemical & Dye 126 Shove Street Fall River, MA 02724 Emergency Telephone Numbers: 800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

Recommended Use of the Chemical and Restrictions on Use: For Industrial use only.

2. HAZARDS IDENTIFICATION

GHS Classification: Environmental Category 3- Chronic aquatic toxicity

Pictogram: NONE

Signal Word: NONE

Hazard Statements: H412: Harmful to Aquatic Life with Long-Lasting Effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling. P280: Wear protective gloves/ protective clothing/eye protection/face protection P270: Do not eat, drink, or smoke when using this product. P260: Do not breathe dust/fume/gas/mist/vapors/spray P273: Avoid release to the environment P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. P337 + P313 IF ON SKIN: Wash with plenty of soap and water for 15 minutes. P302 + P352 If skin irritation occurs: Get medical advice/attention. P332 + P313 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable P304 + P340 position for breathing.

PAGE 1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary Azo Dye Harmful to aquatic life

The exact ingredient percentages and composition of components have been withheld as a trade secret.

4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

5. FIREFIGHTING MEASURES

FLASH POINT NA

EXTINGUISHING MEDIA CO2, Dry Chemical foam, Water fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice, handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIA TE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use. GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing. EYE PROTECTIONEmployees should wear protective eye-goggles with side protection shield. SKIN PROTECTIONEmployees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and

face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

VENTILATIONUse local ventilation.

OTHERWear overalls, apron or other protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCEPOWI				
COLORYELL	WC			
ODORSLIGH	ITLY AROMATIC	,		
ODOR THRESHOLD NA				
SOLUBILITY IN WATER 11 g/l	@ 25 C			
BULK DENSITY ND				
RELA TIVE DENSITYNA				
VISCOSITYNA				
pHND				
MELTING POINT/FREEZING POINT	NA			
PARTITION COEFFICIENT: N-OCTA	NOL/WATER	ND		
BOILING POINT NA				
VAPOR PRESSURE NA				
VAPOR DENSITYNA				
EVAPORATION RATENA				
FLAMMABILITYNA				
FLASH POINTNA				
AUTO-IGNITION TEMPNA				
DECOMPOSITION TEMPERATURE	ND			
UELNA				
LELNA				
% VOLATILE: VALUE	: 0.00	UNIT:	%	COMMENT:

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5,000 mg/l (RAT)
FISH, LC50	ND
EYE EFFECTS	NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	NOT EXPECTED

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

CARCINOGEN STATUS

NTP: NO

OSHA: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE May be irritating to the eyes, skin, and respiratory tract..

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: ND BACTERIA TOXICITY: ND AOX CONTENT: 11.6%

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard	Yes
	Delayed (chronic) health hazard	Yes
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and Reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 28, 2017 MSDS Revised: March 28, 2017



SAFETY DATA SHEET

WF501, WF506, WF560, and WF561

ISSUE DATE: 9/15/16

1. PRODUCT IDENTIFICATION

PRODUCT NAMEWASHFAST GOLDEN YELLOW 199C CHEMICAL FAMILYAZO T.S.C.A. STATUSIN COMPLIANCE PRIMARY PRODUCT USE ...TEXTILE MANUFACTURING DISTRIBUTED BYPRO Chemical & Dye 126 Shove Street Fall River, MA 02724

2. HAZARDS IDENTIFICATION

GHS Classification:

Health Category 5- Oral Toxicity Health Category 2-Skin Irritant Environmental Category 3-Acute Chronic Toxicity to Aquatic Life



Pictogram:

Signal Word: Warning Hazard Statements: H317 May Cause an Allergic Skin Reaction H302 May be harmful if swallowed

H412 Harmful to aquatic life with long-lasting effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P273: Avoid release to the environment

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a comfortable

position for breathing.

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO

CRONIC EFFECTS OF OVEREXPOSURE None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract. May have sensitizing effects based upon laboratory

animal studies.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this

product.

3. HAZARDOUS INGREDIENTS

ACID YELLOW 199 (70865-20-2) > 50% May be harmful if swallowed. Animal Sensitizer.

The exact ingredient percentages and composition has been withheld as a trade secret.

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
- SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINTNA EXTINGUISHING MEDIAC02 Dry Chemical Foam Water Fog SPECIAL FIRE FIGHTING PROCEDURESIUNUSUAL FIRE OR EXPLOSION HAZARDS: Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

VENTILATION Use local ventilation.

OTHERWear overalls, apron or other protective clothing.

9. <u>PHYSICAL DATA</u>

APPEARANCE	.POWDER
COLOR	.YELLOW
ODOR	NONE
ODOR THRESHOLD	NA
SOLUBILITY IN WATER	. SOLUBLE
BULK DENSITY	450 - 600 kg/m3
VISCOSITY	. NA
рН	. 10 (100 g/l in 20C water)
MELTING POINT/FREEZING	POINTNA
PARTITION COEFFICIENT: N	I-OCTANOLIWATERND
BOILING POINT	NA

VAPOR PRESSURE	NA
VAPORDENSITY	NA
EVAPORATION RATE	NA
FLAMMABILITY	NA
FLASH POINT	NA
INGINITION TEMP	NA
DECOMPOSITION TEM	IPERATURE ND
UEL	NA
LEL	NA
% VOLATILE:	VALUE: 0.00

UNIT: %

COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly. HAZARDOUS REACTIONS: None expected CHEMICAL STABILITYStable INCOMPATABLE MATERIALS: None HAZARDOUS DECOMPOSITION PRODUCTS C02, CO, SULFUR OXIDES, NITROGEN OXIDES CONDITIONS TO AVOIDAvoid dusting conditions and sparks/flame. HAZARDOUS POLYMERIZATION Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 2000 mg/l (Rat)
FISH, LC50	>71 mg/l (96 h, Oncorhynchus mykiss)
EYE EFFECTS	NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	· · · · · ·

12. ECOLOGICAL DATA

BIODEGRADABILITY:	< 10 %
BACTERIA TOXICITY:	> 10 mg/l (3h activated sludge)
AOX CONTENT: 0.0 %	
COD: 1600 mg/g	

13. DISPOSAL CONSIDERATIONS

PRODUCT:If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPINGDATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. <u>REGULATORY DATA</u>

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard Delayed (chronic) health hazard	No No
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: December 17, 2009 MSDS Revised: August 29, 2016



SAFETY DATA SHEET WashFast 504, 507 and 509

ISSUE DATE: 11/15/16

1. PRODUCT IDENTIFICATION

PRODUCT NAME WASHFAST BRIGHT ORANGE 233 CHEMICAL FAMILY DIAZO T.S.C.A. STATUS IN COMPLIANCE PRIMARY PRODUCT USE TEXTILE MANUFACTURING SUPPLIED BY PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724

> Emergency Telephone Numbers: 800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

> > 2. HAZARDS IDENTIFICATION

GHS Classification: Environmental Category 3- Chronic aquatic toxicity

Pictogram: NONE

Signal Word: NONE

Hazard Statements: H412: Harmful to Aquatic Life with Long-Lasting Effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P273: Avoid release to the environment

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313	If eye irritation persists: Get medical advice/attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water for 15 minutes.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a comfortable
	position for breathing.

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

CARCINOGEN STATUS

OSHA: NO

ACGIH: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE May be irritating to the respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

3. HAZARDOUS INGREDIENTS

Acid Orange 33 (6507-77-3) > 50 % Toxic to Aquatic Organisms

The exact ingredient percentages and composition has been withheld as a trade secret.

4. EMERGENCY AND FIRST AID PROCEDURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED COLTHING

- EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
- SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION Dilute with water Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINTNot Applicable

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. Scrub spilled area with detergent, flush with copious amount of water. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing. EYE PROTECTION Employees should wear protective eye-goggles with side protection shield. SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

VENTILATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

APPEARANCEF	POWDER		
COLOR	DRANGE		
ODORN	NONE		
ODOR THRESHOLDN	AI AI		
SOLUBILITY IN WATER 1	150 g/l @ 90C		
BULK DENSITY	ND		
VISCOSITY	NA		
рН8	3.7 @ 80 g/l 20 C		
MELTING POINT/FREEZING P			
PARTITION COEFFICIENT: N-0	OCTANOL/WATER	ND	
BOILING POINT	NA		
VAPOR PRESSURE	. NA		
VAPOR DENSITY	NA		
EVAPORATION RATE	NA		
FLAMMABILITY	.NA		
FLASH POINT	.NA		
INGINITION TEMP	NA		
DECOMPOSITION TEMPERAT			
UEL			
LEL			
% VOLATILE: V	ALUE: ND	UNIT: %	COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly. HAZARDOUS REACTIONS: In the case of dusty organic products the possibility of a dust explosion should always be considered. CHEMICAL STABILITYStable INCOMPATABLE MATERIALS: None HAZARDOUS DECOMPOSITION PRODUCTSC02, CO, SULFUR OXIDES, NITROGEN OXIDES CONDITIONS TO AVOIDAvoid dusting conditions and sparks/flame. HAZARDOUS POLYMERIZATION.... Will not occur

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5000 mg/l (Rat)
FISH, LC50	
EYE EFFECTS	NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS	
SENSITIZATION	· · · · · · · · · · · · · · · · · · ·

12. ECOLOGICAL DATA

BIODEGRADABILITY: ND BACTERIA TOXICITY: ND

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA (C,P): NON-HAZARDOUS MATERIAL

IMDG: NON-HAZARDOUS MATERIAL

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard	Yes Yes	
	Delayed (chronic) health hazard	No	
	Fire hazard	NO	
	Sudden Release of Pressure	No	
	Reactivity		

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: September 4, 2009 MSDS Revised: August 25, 2016



SAFETY DATA SHEET Mahogany WF508

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME------ WashFast Acid Red 351

Supplier : PRO Chemical & Dye 126 Shove Street Fall River, MA 02724

Emergency Telephone Numbers: 800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

SECTION 2: HAZARD INDENTIFICATION

Classification:

Skin corrosion/irritation-----Category 2

Serious eye damage /eye irritation-----Category 2

EMERGENCY OVERVIEW

signal word WARNING

Hazard statements : H315 – Causes skin irritation H319 - Causes serious eye irritation



Appearance powder

Physical State Powder

Odor None

Precautionary statements

P310 – Immediately call a POISON CENTER or doctor/physician
P302+ P352 – IF ON SKIN: Wash with plenty of soap and water
P321- Specific treatment (see supplemental first aid instructions on this label)
P332+ P313 – if skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P264 – Wash face, hands and any exposed skin thoroughly after handling
P280 – Wear protective gloves/protective clothing/eye protection/face protection
P305 +P351 +P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337 +P313 – If eye irritation persists: Get medical advice/attention

Hazards Not Otherwise Classified (HNOC)

OTHER INFORMATION

Unknown Acute Toxicity 100 percent of the mixture consists of ingredient(s) of unknown acute toxicity

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

 CHEMICAL NAME
 ACID RED 151

 C. A. S. #
 6406-56-0

SECTION 4: FIRST AID MEASURES

First aid measures for different exposure routes.

EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES.

SKIN: WASH WITH MILD SOAP AND WATER.IF IRRITATION OCCUR GET MEDICAL ATTENTION. IF CLOTHING IS CONTAMINATED, REMOVE AND WASH BEFORE RE-USE.

INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

INGESTION: RINSE MOUTH. GIVE PLENTY OF WATER TO DRINK. GET MEDICAL ATTENTION. IF UNCONSCIOUS, DO NOT GIVE ANYTHING TO DRINK.GET IMMEDIATE MEDICAL ATTENTION.

SECTION 5: FIRE FIGHTING MEASURES

IN CASE OF FIRE----- KEEP UNNECESSARY PEOPLE AWAY.ISOLATE HAZARD AREA AND DENY ENTRY. STAY UPWIND, OUT OF LOW AREAS, AND VENTILATE CLOSED SPACES BEFORE ENTERING.

FIRE FIGHTING PROCEDURE-----DRY CHEMICAL, CO2, WATER SPRAY OR REGULAR FOAM. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO IT WITHOUT RISK. APPLY COOLING WATER TO SIDES OF CONTAINERS THAT ARE EXPOSED TO FLAMES UNTIL WELL AFTER FIRE IS OUT.

FIRE FIGHTING EQUIPMENT----USE SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST POTENTIALLY TOXIC AND IRRITATING FUMES.

SECTION 6: ACCIDENTAL SPILL OR RELEASE INSTRUCTIONS

STEPS TO BE TAKEN---- DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. STOP LEAK IF YOU CAN DO IT WITHOUT RISK. TAKE UP WITH SAND OR OTHER NON-COMBUSTIBLE ABSORBENT MATERIALS AND PLACE INTO CONTAINERS FOR LATER DISPOSAL. SCRUB SPILL AREA WITH DETERGENT, FLUSH WITH COPIOUS AMOUNT OF WATER.

WASTE DISPOSAL METHOD ---- BURY OR INCINERATE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

CONTAINER REUSE METHOD ---- CONTAINERS SHOULD NOT BE REUSED WITHOUT PROFESSIONAL CLEANING AND CONDITIONING.

SECTION 7: HANDLING AND STORAGE

NO SPECIAL PRECAUTIONS ANTICIPATED. WEAR ALL PROPER PERSONAL PROCTECTION EQUIPMENTAS OUTLINED IN SECTION

VIII AND AVOID PHISICAL CONTACT WITH MATERIAL.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY---- NIOSH APPROVED DUST RESPIRATOR WHEN NEEDED.

SKIN----- ALWAYS WEAR IMPERVIOUS GLOVES AND APPROPRIATE EQUIPMENT TO PREVENT PROBABILITY OF PERSONAL CONTACT.

EYES----WEAR SIDE-SHIELD SAFETY GLASSES.

VENTILATION---- LOCAL EXHAUST SHOULD BE USED TO MAINTAIN EXPOSURE LIMITS AND TO DRAW SPRAY, AEROSOL, VAPORS OR DUSTS AWAY FROM WORKERS AND PREVENT ROUTINE INHALATION.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE--N/A VAPOR DENSITY---N/A VOLATILITY---- N/A FREEZE POINT--- N/A MELTING POINT---N/A BOILING POINT--N/A FLAMMABLE LIMITS--N/A ODOR---NONE APPEARANCE--POWDER SPECIFIC GRAV-- N/A EVAP. RATE--- N/A Ph OF PRODUCT—N/A

SECTION 10: STABILITY AND REACTIVITY

STABILITY------ STABLE UNDER NORMAL CONDITIONS CONDITIONS TO AVOID----- NONE KNOWN INCOMPATIBLE MATERIALS----UNKNOWN HAZARDOUS DECOMPOSITION PRODUCTS---BURNING WILL PRODUCE OXIDES OF CARBON, NITROGEN, AND OTHER POTENATIALLY TOXIC FUMES. HAZARDOUS POLYMERIZATION----- WILL NOT UNDERGO POLYMERIZATION. CONDITIONS TO AVOID---NONE KNOWN

SECTION 11: TOXICOLOGICAL INFORMATION

ORAL LD50 (RAT) DERMAL LD50 EYE EFFECTS (RABBIT) SKIN EFFECTS (RABBIT) MUTAGENICITY INHALATION LC50 SKIN SENSITIZATION (GUINEA PIG) RESPIRATORY SENSITIZATION ADDITIONAL TOXICITY DATA SUPPLEMENTAL TEST DATA OTHER DATA NO DATA CURRENTLY AVAILABLE NO DATA CURRENTLY AVAILABLE

SECTION 12: ECOLOGICAL DATA

BOD COD AQUATIC TOXICITY BIODEGRADABILITY PERSISTENCE SEWAGE TREATMENT OTHER DATA SUPPLEMENTAL TEST DATA NO DATA CURRENTLY AVAILABLE NO DATA CURRENTLY AVAILABLE

Ecotoxicity 0% of the mixture consists of components(s) of unknown hazards to the aquatic environment Toxicity to Algae no data available Toxicity to Fish no data available Toxicity to daphnia and other aquatic invertebrates

Persistence and Degradability Bioaccumulation Other Adverse Effects No information available. No information available. No information available

SECTION 13: DISPOSAL AND ENVIRONMENTAL CONSIDERATION

Waste treatment

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local regulations. This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261).

Contaminated Packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

SECTION 14: SHIPPING AND TRANSPORTATION INFORMATION

DOT REGULATION (GROUND)—-NOT REGULATED IATA REGULATION (AIR)--NOT REGULATED IMDG/IMO REGULATION (WATER)—-NOT REGULATED

DOT HAZARD CLASS----NON-HAZARDOUS DOT CLASSIFICATION----NON-HAZARDOUS MATERIAL COMMODITY CLASS----INK MATERIAL

SECTION 15: REGULATORY INFORMATION

REGULATORY LIST REFERENCE:

NOTE: WHEN NO COMPONENTS ARE SHOWN IN SPACE ABOVE THIS NOTE, NO FEDERAL OR STATE REPORTING REQUIREMENTS APPLY TO THIS PRODUCT. WHEN COMPONENTS ARE LISTED ABOVE, LIST NUMBERS SHOWN BELOW INDICATE APPLICABLE REGULATIONS.

LIST NUMBERS

- 1 ACCIDENTAL RELEASE SUBSTANCE 2 CERCLA 304 HAZARDOUS SUBSTANCE(RQ) 3 RESERVED 4 CLEAN AIR ACT-SEC.111 VOLATILE ORGANIC COMPOUNDS
- 5 CLEAN AIR ACT-SEC.112 HAZ. AIR POLLUTANT (HAP, HAP CODE)
- 6 CLEAN AIR ACT-OZONE DEPLETING CHEMICAL(ODC)
- 7 CLEAN WATER ACT-RQ
- 8 CLEAN WATER ACT-PRIORITY POLLUTANT(PP)RQ
- 9 MARINE POLLUTANT (MP)
- 10 PSM HIGHLY HAZARDOUS CHEMICAL
- 11 RCRA HAZARDOUS WASTE (RCRA CODE)
- 12 SARA 302 EXTREMELY HAZARDOUS SUBSTANCE (EHS)(RQ)
- 13 SARA 313 TOXIC RELEASE INVENTORY (TRI)(TR CONC, TR THRESHOLD)
- 14 SOCMI CHEMICAL (CAA)
- 15 STATE LISTS

CA-CALIFORNIA PROPOSITION 65, DE-DELAWARE, ID-IDAHO, ME-MAINE, MA-MASSACHUSETTS, MI-MICHIGAN, MN-MINNESOTA, NJ-RTK NEW JERSEY HAZARDOUS SUBSTANCE LIST, NJ-TCPA NEW JERSEY EXTREMELY HAZARDOUS SUBSTANCE LIST, NY-NEW YORK, PA-PENNSYLVANIA, WA-WASHINGTON, WV-WEST VIRGINIA, WI-WISCONSIN 16 SUPPLEMENTAL REGULATORY INFORMATION(SRI)

T.S.C.A---- IN COMPLIANCE 0.S.H.A. HAZARD CLASSIFICATION: NON HAZARDOUS

SARA 311/312 HAZARD CATEGORIES:

IMMEDIATE/ACUTE HEALTH HAZARD:	NO
CHRONIC/ DELAYED HAZARD:	NO
FLAMMABLE:	NO
REACTIVITY HAZARD:	NO
OXIDIZER:	NO

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations California Proposition 65

This product does not contain any Proposition 65 chemicals

SECTION 16: OTHER INFORMATION

LAST REVISION DATE. 01/20/2014

HMIS RATINGS: HEALTH: 1 Flammability: 1 Physical Hazard: 0

PERSONAL PROTECTION: F

DISCLAIMER:

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN. THIS MATERIAL SAFETY DATA SHEET WAS PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910, 1200 AND SUPESEDES ANY PREVIOUS INFORMATION. PREVIOUSLY DATED SHEETS ARE INVALID AND INAPPLICABLE.

END OF MSDS.