

# SAFETY DATA SHEET

# WashFast Acid Navy 413 and 441

ISSUE DATE: 4/3/17

# **1. PRODUCT IDENTIFICATION**

**Emergency Telephone Numbers:** 

800-255-3924 ChemTel. (United States)

+ 1 01 813-248-0585 (Outside the United States)

## 2. HAZARDS IDENTIFICATION

GHS Classification: Health Category 2A- Eye Irritant Environmental Category 3- Chronic Aquatic Toxicity



Pictogram:

Signal Word: WARNING

Hazard Statements:

H319: Causes Serious Eye Irritation H412: Harmful to Aquatic Life with Long-Lasting Effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray P273: Avoid release to the environment P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes. If skin irritation occurs: Get medical advice/attention. P332 + P313IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331 P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Proprietary Azo Dye Eye Irritant - Toxic to Aquatic Organisms

The exact ingredient percentages and composition has been withheld as a trade secret.

### 4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- EYE CONTACT ...... Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
- SKIN CONTACT ...... Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION ...... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALA TION ...... If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

# **5. FIREFIGHTING MEASURES**

FLASH POINT .....NA

EXTINGUISHING MEDIA .....Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

# 6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

## 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice. Handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS: Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION ....... Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION .......Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION ........ Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION .....Use local ventilation.

OTHER ...... Wear overalls, apron or other protective clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE COLOR ODOR ODOR THRESHOLD SOLUBILITY IN WATER BULK DENSITY RELA TIVE DENSITY VISCOSITY PH MELTING POINT/FREEZING PARTITION COEFFICIENT: BOILING POINT VAPOR PRESSURE VAPOR DENSITY EVAPORATION RATE FLAMMABILITY FLASH POINT AUTO-IGNITION TEMP UEL	DARK BLUE ODORLESS NA 40 g/I @ 90 C 400 - 600 kg/m3 NA NA NA M-OCTANOLIWATER N-OCTANOLIWATER N-OCTANOLIWATER NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA	ND
LEL %VOLATILE:	NA VALUE: NONE	UNIT: %

COMMENT:

### **10. STABILITY AND REACTIVITY**

#### 11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5000 mg/kg (RATS)
FISH, LC50	10 - 100 mg/l (48 hr)
EYE EFFECTS	IRRITANT (RABBIT EYE)
SKIN EFFECTS	
SENSITIZATION	· · · · · · · · · · · · · · · · · · ·

#### PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

#### CARCINOGEN STATUS

IARC: NO

OSHA: NO

ACGIH: NO

HMIS: 2 1 0 E

#### CHRONIC EFFECTS OF OVEREXPOSURE

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Based upon animal studies irritating to the eyes. May be irritating to the skin and respiratory tract.

#### MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

#### 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: <10% BACTERIA TOXICITY: IC50 > 100 mg/l (activated sludge) AOX: 0.00 COD: 1285 mg/g

NTP: NO

#### **13. DISPOSAL CONSIDERATIONS**

PRODUCT: ...... If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

#### 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

### 15. <u>REGULATORY DATA</u>

#### US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard Delayed (chronic) health hazard Fire hazard	Yes No No
	Sudden Release of Pressure Reactivity	No No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

#### 16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. **In** no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Prepared: March 2, 2017 MSDS Revised: March 22, 2017



# Safety Data Sheet WF425c, WF 403, WF416, WF417 AND WF421

PRINT DATE: 3/4/19

# 1. PRODUCT IDENTIFICATION

PRODUCT NAME WF425c, WF 403, WF416, WF417 AND WF421 CHEMICAL FAMILY ...... ANTHRAQUINONE T.S.C.A. STATUS ......COMPLIANCE RECOMMENDED PRODUCT USE.. TEXTILE MANUFACTURING SUPPLIED BY ...... PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724 PHONE: 508-676-3838 Emergency Telephone Numbers: 800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

# 2. HAZARDS IDENTIFICATION

GHS Health Category 2A-Eye Irritant Classification: Health Category 5-0ral Toxicity

Pictogram:



Signal Word: Warning

Hazard Statements:

H319: Causes Serious Eye Irritation H303: May be Harmful if Swallowed

**Precautionary Statements:** 

P264: Wash face, hands, and any exposed skin thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P270: Do not eat, drink, or smoke when using this product.
P260: Do not breathe dust/fume/gas/mist/vapors/spray
P273: Avoid release to the environment
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313	If eye irritation persists: Get medical advice/attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water for 15 minutes.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+ P340	IF INHALED: Remove victim to fresh air and keep at rest in a
	comfortable position for breathing.

# 3. COMPOSITION INFORMATION ON INGREDIENTS

Proprietarv Anthraquinone Dye Mav be harmful if swallowed. Causes eye irritation

The exact incredient percentages and composition of components have been withheld as a trade secret.

# 4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT Immediately flush eyes with flowing water for at least 15 minutes, holding eyelids apart to irrigate thoroughly. Get medical attention.

SKIN CONTACT ..... Wash skin thoroughly with soap and water. Get medical attention if irritation develops.

- INGESTION ...... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION .......... Remove to fresh air. If breathing is difficult give oxygen; if not breathing give artificial respiration. Get medical attention.

# 5. FIRE FIGHTING MEASURES

FLASH POINT ..... Not Applicable

EXTINGUISHING MEDIA ...... CO2 Drv Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS: As in any fire, wear self-contained breathing apparatus and full protective equipment. ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

# 6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Wear appropriate safety equipment. Contain and clean up spill immediately. Prevent from entering floor drains.

Contain liquids using absorbents. Sweep powders carefully minimizing dusting. Shovel all spill materials into disposal drums and follow disposal instructions.

# 7. HANDLING AND STORAGE

In accord with good industrial practice, handle with care and avoid personal contact.

# 8. EXPOSURE CONTROL PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION ... Wear safety glasses with side shields or safety goggles.

OTHER ...... Wear overalls, apron or other protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 10. STABILITY AND REACTIVITY

THERMAL DECOMPOSITION- No thermal decomposition when stored and handled correctly. POSSIBILITY OF HAZARDOUS REACTIONS: None expected In the case of dusty organic products the possibility of a dust explosion should always be considered. CHEMICAL STABILITY ......Stable INCOMPATABLE MATERIALS: None HAZARDOUS DECOMPOSITION PRODUCTS C02, CO, SULFUR OXIDES, NITROGEN OXIDES CONDITIONS TO AVOID ...... Avoid dusting conditions and sparks/flame. REACTIVITY .... Will not occur

# 11. TOXICOLOGICAL INFORMATION

# PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

# CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE Not Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE May be irritating to the eyes, skin, or respiratory tract.

# MEDICAL CONDITIONS AGGRAYATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

# 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: < 10 BACTERIA TOXICITY IC50: ND AOX CONTENT: 0.0

# PAGE 4

# 13. DISPOSAL CONSIDERATIONS

PRODUCT: ... If utilization or recvcling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

# 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA(C, P) = NON-HAZARDOUS

IMDG = NON-HAZARDOUS

# 15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

312: Delayed (chronic) health hazard Fire hazard Sudden Belease of Pressure	Yes No No No No
---	-----------------------------

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

# 16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use. subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MDSD Created: March 23, 2017 /SDS Revised: March 23, 2017



# SAFETY DATA SHEET WashFast Bright Blue WF440

SECTION 1: PRODUCT IDENTIFICATION

Product name: WashFast Bright Blue WF440

Supplier: PRO Chemical & Dye 126 Shove Street Fall River, MA 02724

Emergency Telephone Numbers: 800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

SECTION 2: HAZARD INDENTIFICATION

Classification:

Skin corrosion/irritation-----Category 2

Serious eye damage /eye irritation-----Category 2

EMERGENCY OVERVIEW signal word WARNING

Hazard statements: H315 - Causes skin irritation H319 - Causes serious eye irritation



Appearance: Powder

Physical State: Powder

Odor: None

Precautionary statements

P310 -Immediately call a POISON CENTER or doctor/physician

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P321- Specific treatment (see supplemental first aid instructions on this label)

P332+ P313 -if skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P264 - Wash face. hands and anv exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 +P351 +P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 +P313 - If eye irritation persists: Get medical advice/attention

rost +roto - il eye imalion persists. Get medical advice/all

Hazards Not Otherwise Classified (HNOC)

OTHER INFORMATION

Unknown Acute Toxicity 100 percent of the mixture consists of ingredient(s) of unknown acute toxicity

SECTION 3: COMPOSITIONI INFORMATION ON INGREDIENTS

CHEMICAL NAME WashFast Bright Blue WF440 C. A. S. # 6424-85-7

SECTION 4: FIRST AID MEASURES

First aid measures for different exposure routes.

EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES.

SKIN: WASH WITH MILD SOAP AND WATER.IF IRRITATION OCCUR GET MEDICAL ATTENTION. IF CLOTHING IS CONTAMINATED, REMOVE AND WASH BEFORE RE-USE.

INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

INGESTION: RINSE MOUTH. GIVE PLENTY OF WATER TO DRINK. GET MEDICAL ATTENTION. IF UNCONSCIOUS, DO NOT GIVE ANYTHING TO DRINK. GET IMMEDIATE MEDICAL ATTENTION.

SECTION 5: FIRE FIGHTING MEASURES

IN CASE OF FIRE----- KEEP UNNECESSARY PEOPLE A WA Y.ISOLA TE HAZARD AREA AND DENY ENTRY. STAY UPWIND, OUT OF LOW AREAS, AND VENTILATE CLOSED SPACES BEFORE ENTERING.

FIRE FIGHTING PROCEDURE-----DRY CHEMICAL, CO2, WATER SPRAY OR REGULAR FOAM. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO IT WITHOUT RISK. APPLY COOLING WATER TO SIDES OF CONTAINERS THAT ARE EXPOSED TO FLAMES UNTIL WELL AFTER FIRE IS OUT.

FIRE FIGHTING EQUIPMENT----USE SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST POTENTIALLY TOXIC AND IRRITATING FUMES.

SECTION 6: ACCIDENTAL SPILL OR RELEASE INSTRUCTIONS

STEPS TO BE TAKEN---- DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. STOP LEAK IF YOU CAN DO IT WITHOUT RISK. TAKE UP WITH SAND OR OTHER NON-COMBUSTIBLE ABSORBENT MATERIALS AND PLACE INTO CONTAINERS FOR LATER DISPOSAL. SCRUB SPILL AREA WITH DETERGENT, FLUSH WITH COPIOUS AMOUNT OF WATER.

WASTE DISPOSAL METHOD----BURY OR INCINERATE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

CONTAINER REUSE METHOD----CONTAINERS SHOULD NOT BE REUSED WITHOUT PROFESSIONAL CLEANING AND CONDITIONING.

SECTION 7: HANDLING AND STORAGE

NO SPECIAL PRECAUTIONS ANTICIPATED. WEAR ALL PROPER PERSONAL PROCTECTION EQUIPMENT AS OUTLINED IN SECTION VIII AND AVOID PHISICAL CONTACT WITH MATERIAL.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY ---- NIOSH APPROVED DUST RESPIRATOR WHEN NEEDED.

SKIN----- ALWAYS WEAR IMPERVIOUS GLOVES AND APPROPRIATE EQUIPMENT TO PREVENT PROBABILITY OF PERSONAL CONTACT.

EYES----WEAR SIDE-SHIELD SAFETY GLASSES.

VENTILATION--- LOCAL EXHAUST SHOULD BE USED TO MAINTAIN EXPOSURE LIMITS AND TO DRAW SPRAY, AEROSOL, VAPORS OR DUSTS A WAY FROM WORKERS AND PREVENT ROUTINE INHALATION.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

VAPOR PRESSURE-N/A	ODORNONE
VAPOR DENSITYN/A	APPEARANCEPOWDER
VOLATILITY N/A	SPECIFIC GRAV N/A
FREEZE POINT N/A	EVAP. RATE N/A
MELTING POINTN/A	pH OF PRODUCT –N/A
BOILING POINTN/A	•
FLAMMABLE LIMITS-N/A	

#### SECTION 10: STABILITY AND REACTIVITY

STABILITY ------ STABLE UNDER NORMAL CONDITIONS CONDITIONS TO AVOID----- NONE KNOWN INCOMPATIBLE MATERIALS--UNKNOWN HAZARDOUS DECOMPOSITION PRODUCTS---BURNING WILL PRODUCE OXIDES OF CARBON, NITROGEN, AND OTHER POTENATIALLY TOXIC FUMES. HAZARDOUS POL YMERIZATION--- WILL NOT UNDERGO POLYMERIZATION. CONDITIONS TO AVOID---NONE KNOWN

### SECTION 11: TOXICOLOGICAL INFORMATION

ORAL LD50 (RAT	NO DATA CURRENTLY AVAILABLE
DERMALLD50	NO DATA CURRENTLY AVAILABLE
EYE EFFECTS (RABBIT)	NO DATA CURRENTLY AVAILABLE
SKIN EFFECTS (RABBIT)	NO DATA CURRENTLY AVAILABLE
MUTAGENICITY	NO DATA CURRENTLY AVAILABLE
INHALATION LC50	NO DATA CURRENTLY AVAILABLE
SKIN SENSITIZATION (GUINEA PIG)	NO DATA CURRENTLY AVAILABLE
RESPIRATORY SENSITIZATION '	NO DATA CURRENTLY AVAILABLE
ADDITIONAL TOXICITY DATA	NO DATA CURRENTLY AVAILABLE
SUPPLEMENTAL TEST DATA	NO DATA CURRENTLY AVAILABLE
OTHER DATA	NO DATA CURRENTLY AVAILABLE

#### SECTION 12: ECOLOGICAL DATA

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment Toxicity to Algae no data available Toxicity to Fish no data available Toxicity to daphnia and other aquatic invertebrates

#### SECTION 13: DISPOSAL AND ENVIRONMENTAL CONSIDERATION

Waste treatment

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local regulations. This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261).

Contaminated Packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

SECTION 14: SHIPPING AND TRANSPORTATION INFORMATION

DOT REGULATION (GROUND)--NOT REGULATED IATA REGULATION (AIR)--NOT REGULATED IMDG/IMO REGULATION (WATER)--NOTREGULATED

DOT HAZARD CLASS----NON-HAZARDOUS DOT CLASSIFICATION----NON-HAZARDOUS MATERIAL COMMODITY CLASS----INK MATERIAL

SECTION 15: REGULATORY INFORMATION

REGULATORY LIST REFERENCE:

NOTE: WHEN NO COMPONENTS ARE SHOWN IN SPACE ABOVE THIS NOTE, NO FEDERAL OR STATE REPORTING REQUIREMENTS APPLY TO THIS PRODUCT. WHEN COMPONENTS ARE LISTED ABOVE, LIST NUMBERS SHOWN BELOW INDICATE APPLICABLE REGULATIONS.

LIST NUMBERS I ACCIDENTAL RELEASE SUBSTANCE 2 CERCLA 304 HAZARDOUS SUBSTANCE (RQ) **3 RESERVED** 4 CLEAN AIR ACT-SEC. 111 VOLATILE ORGANIC COMPOUNDS 5 CLEAN AIR ACT-SEC. 112 HAZ. AIR POLLUTANT (HAP, HAP CODE) 6 CLEAN AIR ACT-OZONE DEPLETING CHEMICAL(ODC) 7 CLEAN WATER ACT-RQ 8 CLEAN WATER ACT-PRIORITY POLLUTANT (PP)RQ 9 MARINE POLLUTANT (MP) **10 PSM HIGHLY HAZARDOUS CHEMICAL** 11 RCRA HAZARDOUS WASTE (RCRA CODE) 12 SARA 302 EXTREMELY HAZARDOUS SUBSTANCE (EHS)(RQ) 13 SARA 313 TOXIC RELEASE INVENTORY (TRI)(TR CONC. TR THRESHOLD) 14 SOCMI CHEMICAL (CAA) **15 STATE LISTS** CA-CALIFORNIA PROPOSITION 65, DE-DELA WARE, ID-IDAHO, ME-MAINE, MA-MASSACHUSETTS, MI-MICHIGAN, MN-MINNESOT A, NJ-RTK NEW JERSEY HAZARDOUS SUBSTANCE LIST, NJ- TCPA NEW JERSEY EXTREMELY HAZARDOUS SUBSTANCE LIST, NY-NEW YORK, P A-PENNSYLVANIA, WA-WASHINGTON, WV -WEST VIRGINIA, WI-WISCONSIN **16 SUPPLEMENTAL REGULATORY INFORMATION (SRI)** T.S.C.A---- IN COMPLIANCE **O.S.H.A. HAZARD CLASSIFICATION: NON HAZARDOUS** 

SARA 311/312 HAZARD CATEGORIES:

IMMEDIATE/ACUTE HEALTH HAZARD:	NO
CHRONIC/ DELAYED HAZARD:	NO
FLAMMABLE:	NO
REACTIVITY HAZARD:	NO
OXIDIZER:	NO

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations California Proposition 65 This product does not contain any Proposition 65 chemicals

SECTION 16: OTHER INFORMATION

LAST REVISION DATE: 01/20/2019

HMIS RATINGS: HEALTH: 1 Flammability: 1 Physical Hazard: 0 PERSONAL PROTECTION: F

#### DISCLAIMER:

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN. THIS MATERIAL SAFETY DATA SHEET WAS PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910, 1200 AND SUPESEDES ANY PREVIOUS INFORMATION. PREVIOUSLY DATED SHEETS ARE INVALID AND INAPPLICABLE.

END OF SDS.



# SAFETY DATA SHEET WashFast Imperial Blue 450

**ISSUE DATE: 6/25/21** 

# 1. PRODUCT IDENTIFICATION

PRODUCT NAME ......WASHFAST IMPERIAL BLUE 450 CHEMICAL FAMILY .....TRIPHENYLMETHANE DYE T.S.C.A. STATUS .....COMPLIANCE RECOMMENDED PRODUCT USE: PRODUCT COLORANT RESTRICTED PRODUCT USE: FOR INDUSTRIAL USE ONLY SUPPLIED BY ......PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724 PHONE: 508-676-3838 Emergency Telephone Numbers:

800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

### 2. HAZARDS IDENTIFICATION

2.1.1 GHS Classification

NON-CATEGORIZED

2.2.1 GHS Labeling

Signal Word: NONE

Hazard Pictogram: NONE

Hazard Statement: NONE

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.
P280: Wear protective gloves/ protective clothing/eye protection/face protection
P270: Do not eat, drink, or smoke when using this product.
P260: Do not breathe dust/fume/gas/mist/vapors/spray
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### NO HAZARDOUS MATERIALS ARE CONTAINED IN THIS PRODUCT PER OSHA 1910.1200

The exact ingredient percentages and composition has been withheld as a trade secret.

## 4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- EYE CONTACT ........... Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
- SKIN CONTACT ........... Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION ...... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALA TION ...... If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

# 5. FIREFIGHTING MEASURES

# 6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

# 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice. Handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10).

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS: Handle with good industrial practices and industrial hygiene. Wash hands after use.

### GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing. EYE PROTECTION ....... Employees should wear protective eye-goggles with side protection shield. SKIN PROTECTION ....... Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION ......... Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION .....Use local ventilation.

OTHER ......Wear overalls, apron or other protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE POWDER
COLORBLUE
ODORNONE
ODOR THRESHOLDNA
SOLUBILITY IN WATERSOLUBLE
BULK DENSITY 0.4 - 0.7 g/ml
RELATIVE DENSITYNA
VISCOSITYNA
рН
MELTING POINT/FREEZING POINT NA
PARTITION COEFFICIENT: N-OCTANOL/WATERND
BOILING POINTNA
VAPOR PRESSURE NA
VAPOR DENSITYNA
EVAPORATION RATENA
FLAMMABILITYNA
FLASH POINTNA
AUTO-IGNITION TEMP NA
DECOMPOSITION TEMPERATURE ND
UELNA
LELNA
% VOLATILE: VALUE: 0.0 UNIT: %

### 10. STABILITY AND REACTIVITY

COMMENT:

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly. POSSIBILITY OF HAZARDOUS REACTIONS: None expected CHEMICAL STABILITY ..... Stable **INCOMPATABLE MATERIALS: None** HAZARDOUS DECOMPOSITION PRODUCTS ...... CO2, CO, SULFUR OXIDES, NITROGEN OXIDES CONDITIONS TO AVOID ......In the case of dusty organic products the possibility of a dust explosion should always be considered. Avoid dusting conditions and sparks/flame.

REACTIVITY .... Will not occur

### 11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5000 mg/l (RAT)
FISH, LC50	655 mg/l (Pimephales Promelas)
EYE EFFECTS	NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	NOT EXPECTED

#### PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

#### CARCINOGEN STATUS

	IARC:	NO	NTP: NO	OSHA: NO	ACGIH: NO
--	-------	----	---------	----------	-----------

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE None Known

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE May be irritating to the eyes, skin, and respiratory tract.

#### MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

### 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: 77% (7 d) BACTERIA TOXICITY: ND AOX: 0.00

#### 13. DISPOSAL CONSIDERATIONS

PRODUCT: ...... If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

#### 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT.CLASSPACKAGE: 55

IATA (C, P): NON-HAZARDOUS

IMDG: NON-HAZARDOUS

#### 15. <u>REGULATORY DATA</u>

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372. SARA 312: Immediate (acute) health hazard Yes Delayed (chronic) health hazard No Fire hazard No Sudden Release of Pressure No Reactivity No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

#### 16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: November 17, 2009 MSDS Revised: June 25, 2021



# SAFETY DATA SHEET WF478, WF408, and WF419

ISSUE DATE: 4/3/17

# 1. PRODUCT IDENTIFICATION

# 2. HAZARDS IDENTIFICATION

GHS Classification: Environmental Category 3- Chronic Aquatic Toxicity

Pictogram: NONE

Signal Word: NONE

Hazard Statements: H412: Harmful to Aquatic Life with Long-Lasting Effects

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P273: Avoid release to the environment

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

PAGE 1

# 3. COMPOSITION/INFORMATIONS ON INGREDIENTS

Proprietary Triphenylmethane Dye Harmful to aquatic life

The exact ingredient percentages and composition has been withheld as a trade secret.

# 4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- EYE CONTACT ....... Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
- SKIN CONTACT .......Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
- INGESTION ......Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION ......If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS. BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

# 5. FIREFIGHTING MEASURES

FLASH POINT ..... NA

EXTINGUISHING MEDIA ...... CO2, Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION .... Avoid dusting conditions. May form explosive dust mixtures with air.

# 6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

# 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice, handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well ventilated area.

Keep the container tightly sealed and away from any incompatible materials (see Section 10).

# 8. EXPOSURE CONTROLSIPERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

- EYE PROTECTION ..... Employees should wear protective eye-goggles with side protection shield.
- SKIN PROTECTION .... Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when

the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION .....Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION ..... Use local ventilation.

OTHER ...... Wear overalls, apron or other protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	. POWDER		
COLOR	. BLUISH RED		
ODOR	. NONE		
ODOR THRESHOLD	.NA		
SOLUBILITY IN WATER	. 30- 40 g/l @ 100 C		
BULK DENSITY			
RELATIVE DENSITY	NA		
VISCOSITY	NA		
pH:	. 7.0 -7.5 @ 1.0% in wa	ater 20C	
MELTING POINT/FREEZIN	IG POINT .NA		
PARTITION COEFFICIENT	: N-OCTANOL/WATER	RND	
BOILING POINT	NA		
VAPOR PRESSURE	NA		
VAPOR DENSITY	NA		
EVAPORATION RATE	NA		
FLAMMABILITY	NA		
FLASH POINT	NA		
AUTO-IGNITION TEMP	NA		
DECOMPOSITION TEMPE	RATURE NO		
UEL	NA		
LEL	NA		
%VOLATILE: VAL	UE: ND	UNIT: %	COMMENT:

# **10. STABILITY AND REACTIVITY**

REACTIVITY .... Will not occur

# **11. TOXICOLOGICAL INFORMATION**

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5000 mg/kg (RATS)
FISH, LC50	10 - 100 mg/l (48 hour Rainbow Trout)
EYE EFFECTS	NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	NOT EXPECTED

PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

## CARCINOGEN STATUS

IARC: NO NTP: NO

OSHA: NO

HMIS 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE . May be irritating to the eyes, skin and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin or eye conditions may be more susceptible to the effects of this product.

# 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: 25 – 50% BACTERIA TOXICITY: ND

# 13. DISPOSAL CONSIDERATIONS

PRODUCT: ... If utilization or recvcling of the product is not possible. it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

# 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

# 15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312: Immediate (acute) health hazard Yes Delayed (chronic) health hazard No Fire hazard Sudden Release of Pressure No Reactivity No

OTHER REGULATIONS: Labelling is not required in accordance with the EEC directives:

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

# 16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use. subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Prepared: March 22, 2017 MSDS Revised: March 22, 2017



# SAFETY DATA SHEET WASHFAST 490, 401, 407, 411 AND 415

PRINT DATE: 1/13/17

## 1. PRODUCT IDENTIFICATION

PRODUCT NAME .......WASHFAST 490, 401, 407, 411 AND 415 CHEMICAL FAMILY ......TRIARYMETHANE DYE T.S.C.A. STATUS ......COMPLIANCE RECOMMENDED PRODUCT USE TEXTILE MANUFACTURING RESTRICTED PRODUCT USE ....FOR INDUSTRIAL USE ONLY SUPPLIED BY ......PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724 PHONE: 508-676-3838

EMERGENCY PHONE NUMBER:

800-255-3924 ChemTel. (United States)

+1 01 813-248-0585 (Outside the United States)

#### 2. HAZARDS IDENTIFICATION

2.1.1 GHS Classification

NON-CATEGORIZED

2.2.1 GHS Labeling

Signal Word: NONE

Hazard Pictogram: NONE

Hazard Statement: NONE

**Precautionary Statements:** 

P280: Wear protective	nds, and any exposed skin thoroughly after handling. e gloves/ protective clothing/eye protection/face protection k, or smoke when using this product.
P260:	Do not breathe dust/fume/gas/mist/vapors/spray
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water for 15 minutes.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a comfortable
	position for breathing.

PAGE 1

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### NO HAZARDOUS MATERIALS ARE CONTAINED IN THIS PRODUCT

The exact ingredient percentages and composition of the components have been withheld as a trade secret.

#### 4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- INGESTION ...... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION ...... If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORT ANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

### 5. FIRE FIGHTING MEASURES

FLASH POINT .....NA

EXTINGUISHING MEDIA .....CO2 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. ADDITIONAL INFORMATION .......Avoid dusting conditions. May form explosive dust mixtures with air.

### 6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

## 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area.

Keep the container tightly sealed and away from any incompatible materials (see Section 10).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.
SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PYC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.
RESPIRATORY PROTECTION Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.
VENTILATION Use local ventilation.

OTHER ...... Wear overalls, apron or other protective clothing.

PAGE 3

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCEPOWDER COLORBLUE
ODORNONE
ODOR THRESHOLD NA
SOLUBILITY IN WATER50 g/l at 90 deg C
BULK DENSITYND
RELATIVE DENSITYNA
VISCOSITYNA
pH5.5 - 6.5 (1 g/l in water)
MELTING POINT/FREEZING POINT NA
PARTITION COEFFICIENT: N-OCTANOL/WATERND
BOILING POINT NA
VAPOR PRESSURE NA
VAPOR DENSITYNA
EVAPORATION RATENA
FLAMMABILITYNA
FLASH POINTNA
AUTO-IGNITION TEMP NA
DECOMPOSITION TEMPERATURE ND
UELNA
LELNA
VOLATILE: VALUE: 0.00 UNIT: %

%

COMMENT:

#### 10. STABILITY AND REACTIVITY

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly. POSSIBILITY OF HAZARDOUS REACTIONS: None expected CHEMICAL STABILITY ......Stable INCOMPATABLE MATERIALS: None HAZARDOUS DECOMPOSITION PRODUCTS ...... C02, CO, SULFUR OXIDES, NITROGEN OXIDES CONDITIONS TO AVOID ......Avoid dusting conditions and sparks/flame. REACTIVITY .... Will not occur

### 11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	>5000 mg/kg (RAT)
FISH, LC50	> 500 mg/l 48hr (RAINBOW TROUT)
EYE EFFECTS	NON-IRRITANT (RABBIT)
SKIN EFFECTS	NON- IRRITANT (RABBIT)
SENSITIZATION	NOT EXPECTED

#### PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

#### CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE May be irritating to the respiratory tract.

#### MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

#### 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: ND BACTERIA TOXICITY: ND

#### 13. DISPOSAL CONSIDERATIONS

PRODUCT: ......If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

### 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

# 15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard	No
	Delayed (chronic) health hazard	No
	Fire hazard	No
	Sudden Release of Pressure	No
	Reactivity	No

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

### 16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: December 1, 2010 MSDS Revised: August 25, 2016



# SAFETY DATA SHEET WashFast Acid 495

ISSUE DATE: 4/3/17

1. PRODUCT IDENTIFICATION

PRODUCT NAME ...... WASHFAST 495 CHEMICAL FAMILY ...... ANTHRAQUINONE T.S.C.A. STATUS ......IN COMPLIANCE RECOMMENDED PRODUCT USE TEXTILE MANUFACTURING RESTRICTED PRODUCT USE . FOR INDUSTRIAL USE ONLY SUPPLIED BY ...... PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724

EMERGENCY NUMBERS:

800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

## 2. HAZARDS IDENTIFICATION

GHS Classification: Health Category 2B- Eye Irritant

Pictogram: NONE

Signal Word: Warning

Hazard Statements: H320 Causes Eye Irritation

Precautionary Statements:

P280: Wear protective protection	ds, and any exposed skin thoroughly after handling. gloves/ protective clothing/eye protection/face	
P270: Do not eat, drink, or smoke when using this product. P260: Do not breathe dust/fume/gas/mist/vapors/spray		
	IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact	
P337 + P313 P302 + P352 P332 + P313 P301 + P330 + P331 P304 + P340	<ul> <li>In the Ericle. Remove controlling with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If eye irritation persists: Get medical advice/attention.</li> <li>IF ON SKIN: Wash with plenty of soap and water for 15 minutes.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.</li> </ul>	

# 3. COMPOSITION/INFORMATIONS ON INGREDIENTS

Proprietary Anthraquinone Dye Category 2B eye irritant.

The exact ingredient percentages and composition has been withheld as a trade secret.

### 4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

- INGESTION ...... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION ...... If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section II

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

# 5. FIREFIGHTING MEASURES

FLASH POINT .....Not Applicable

EXTINGUISHING MEDIA ......C02 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURESIUNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION ......Avoid dusting conditions. May form explosive dust mixtures with air.

# 6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

### 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING In accord with good industrial practice, handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10) ...

PAGE 2

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.
EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.
SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve
shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended.
Additional protections such as impervious suits are recommended when the potential
for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from
food and drink: stuffs.
RESPIRATORY PROTECTION Inhalation of dust and aerosols must be absolutely prevented by the use
of a NIOSH approved dust respirator.

- VENTILATION ......Use local ventilation.
- OTHER ...... Wear overalls, apron or other protective clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE COLOR ODOR THRESHOLD SOLUBILITY IN WATER BULK DENSITY RELATIVE DENSITY VISCOSITY PH MELTING POINT/FREEZING F	DARK GREEN NONE . NA 35 - 40 g/l @ 100 C NO NA NA 6 - 7 @ 10 g/l at 20C POINTNA		
PARTITION COEFFICIENT: N- BOILING POINT		ND	
V APOR PRESSURE			
VAPOR DENSITY	NA		
EVAPORATION RATE	NA		
FLAMMABILITY	NA		
FLASH POINT	NA		
AUTO-IGNITION TEMP	NA		
DECOMPOSITION TEMPERAT	TURE ND		
UEL	NA		
LEL	NA		
VOLATILE:	VALUE: 0.00	UNIT: % CO	DMI

COMMENT:

# 10. STABILITY AND REACTIVITY

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly. POSSIBILITY OF HAZARDOUS REACTIONS: In the case of dusty organic products the possibility of a dust explosion should always be considered.

CHEMICAL STABILITY ......Stable

INCOMPATABLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS .....C02, CO, SULFUR OXIDES, NITROGEN OXIDES CONDITIONS TO AVOID ......Avoid dusting conditions and sparks/flame. REACTIVITY .... Will not occur

## 11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5000 mg/kg (Rat)
FISH, LC50	100 - 500 mg/l (48 hour Rainbow Trout)
EYE EFFECTS	SLIGHT-IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	NOT EXPECTED

#### PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION: NO
SKIN CONTACT:	YES	EYE CONTACT:	YES	

CARCINOGEN STATUS

IARC: NO NTP: NO

OSHA: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE May be irritating to the eyes and respiratory tract.

### MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

### 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: 25 -50 (TOC) BACTERIA TOXICITY IC : > 1000 mg/l (activated sludge)

### 13. DISPOSAL CONSIDERATIONS

PRODUCT: ..... If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

### 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA (C,P): NON-REGULATED

IMDG: NON-REGULATED

### 15. <u>REGULATORY DATA</u>

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard Delayed (chronic) health hazard	Yes No
	Fire hazard	No
	Sudden Release of Pressure	No No
	Reactivity	110

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

### 16. OTHER INFORMATION

The manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. The manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 24, 2017 MSDS Revised: March 24, 2017