

SAFETY DATA SHEET MX319, MX320, MX336

SECTION I: IDENTIFICATION

PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724 508-676-3838 800-228-9393

Trade Name ... : MX 202, 200, 2139 and 2216

SECTION 11: HAZARDOUS INGREDIENTS

SIGNAL WORD: WARNING MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR

ACUTE TOXICITY CLASSIFICATION: CATEGORY5

NONE REQUIRED PICTOGRAM:

HAZARD STATEMENTS: NONE REQUIRED

PRECAUTIONARY STATEMENT:
P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOUR/SPRAY

AVOID RELEASE TO ENVIRONMENT WEAR PPE AS REQUIRED P273

P281

P301+330+331 IF SWALLOWED: RINSE MOUTH - DO NOT INDUCE VOMITING

P302+350 P304 IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAPY WATER IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING

P314 GET MEDICAL ATTENTION IF YOU FEEL UNWELL

DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL P501

REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS

SECTION III: COMPOSITION INFORMATION

Chemical Name: AZO

100% PROPRIETARY REACTIVE DYE

SECTION IV: FIRST-AID MEASURES

Eyes: IMMEDIATE AND CONTINUOUS IRRIGATION WITH FLOWING WATER FOR AT

LEAST FIFTEEN MINUTES. CONSULT PHYSICIAN IF IRRITATION OCCURS.
...: IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER. WASH WELL WITH SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Ingestion:: IF CONSCIOUS, GIVE TWO GLASSES OF WATER TO DILUTE. ONLY INDUCE VOMITING IF ADVISED BY POISON CONTROL CENTER. Inhalation: REMOVE TO FRESH AIR. IF EFFECTS OCCUR, CONSULT PHYSICIAN.

ACUTE/IMMEDIATE EFFECTS:

SLIGHT IRRITATION OF EYES AND SKIN

CHRONIC/DELAYED EFFECTS:

NONE KNOWN

1 OF4

SECTION V: FIRE FIGHTING MEASURES

Extinquishing Media: WATER SPRAY, DRY CHEMICALS, FOAM OR CARBON DIOXIDE.

Special Fire Fighting Procedures .. : FIREFIGHTERS SHOULD WEAR FULL-FACE, SELF-CONTAINED BREATHING APPARATUS AND IMPERVIOUS PROTECTIVE CLOTHING.

Unusual Fire and Explosion Hazards: NONE EXPECTED

Flash Point and Method: N	.A.	Flamma	able Limits	LEL: N.A.	UEL: N.A.
NFPA Fire Hazards Code		Key	HMIS Codes	;	
HEALTH FIRE REACTIVITY SPECIFIC	1 1 0 NA	0-MINIMAL 1-SLIGHT 2-MODERATE 3-SERIOUS 4-SEVERE	1. 1 0 NE		

SECTION VI: ACCIDENTAL RELEASE MEASURES

ALWAYS WEAR PROPER PROTECTIVE CLOTHING AND RESPIRATORY PROTECTION. MIX MATERIAL WITH SWEEPING COMPOUND TO MINIMIZE DUSTING WHILE SWEEPING UP AND CONTAINING. VACUUM CONTAMINATED AREA.

KEEP AWAY FROM DRAINS, SURFACE AND GROUND WATER.

REMOVE ANY SOURCES OF POTENTIAL IGNITION.

SECTION VII: HANDLING AND STORAGE

AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. STORE IN A DRY PLACE AWAY FROM EXCESSIVE HEAT, IN ORIGINAL OR SIMILAR WATERPROOF CONTAINERS.
RESEAL CONTAINERS IMMEDIATELY AFTER USE.

MAINTAIN GOOD HOUSEKEEPING TO AVOID DUST BUILD UP. AVOID INGESTION, EYE AND SKIN CONTACT. MINIMIZE INHALATION EXPOSURE BY USING DUST RESPIRATOR. WASH HANDS AFTER WEIGHING DYE TO AVOID CONTACT OF THE SKIN OR EYES WITH CONTAMINATED HANDS. A SENSITIZED INDIVIDUAL SHOULD NOT BE EXPOSED TO THE PRODUCT WHICH CAUSED THE SENSITIZATION.

MINIMALIZE RELEASE OF SUBSTANCE INTO THE ENVIRONMENT

SECTION VIII: EXPOSURE CONTROLS/PPE

Ventilation.....: USE LOCAL EXHAUST VENTILATION TO MINIMIZE EXPOSURE.
MAINTAIN AIR CONCENTRATIONS BELOW OCCUPATIONAL EXPOSURE STANDARDS WHEN POSSIBLE

Respiratory.....: A NIOSH/MSHA APPROVED DUST RESPIRATOR SHOULD BE WORN.

2 OF 4 GHS

Eye Protection .: WEAR SIDE-SHIELD SAFETY GLASSES OR CHEMICAL SAFETY GOGGLES.

Skin: WEAR APPROPRIATE PROTECTIVE CLOTHING,

WEAR IMPERVIOUS GLOVES AS A STANDARD HANDLING PROCEDURE.

DELUGE SAFETY SHOWER, AND EYE WASH STATION SHOULD BE IN VICINITY OF WORK AREA

All chemicals should be handled so as to prevent eye contact and excessive or repeated skin contact. Appropriate eye and skin protection should be employed. Inhalation of dusts and vapors should be avoided.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: POWDER

COLOR: ORANGE

SLIGHTLY AROMATIC COMPLETELY

ODOR: SOLUBILITY: SOLUBLE IN WATER N.E.

pH: MEL TING POINT: N.A.

BOILING POINT: FLASH POINT: METHOD: N.E.

LEL: N.E. LUL: N.E. N.E. N.A

AUTO IGNITION TEMP: N.A DECOMPOSITION TEMP: N.A.

VISCOSITY:

SECTION X: STABILITY AND REACTIVITY

STABLE UNDER NORMAL STORAGE CONDITIONS.

Incompatability (Materials to Avoid): OXIDIZING AND REDUCING AGENTS.

Hazardous Decomposition Products \ldots : BURNING WILL PRODUCE OXIDES OF CARBON, NITROGEN AND SULFUR.

Hazardous Polymerization: WILL NOT OCCUR UNDER NORMAL CONDITIONS.

SECTION XI: TOXICOLOGICAL INFORMATION

(ORAL) >2,000 (DERMAL) N.E. LD-50: MG/KG (RAT)

LD-50:

LC50 NE.

SKIN AND EYES ROUTE OF EXPOSURE:

TLV: N.E.

EFFECTS IF OVEREXPOSURE:

ACUTE: SLIGHT IRRITATION OF EYES AND /OR SKIN CHRONIC: NO KNOWN CHRONIC ILL EFFECTS.

SECTION XII: ECOLOGICAL INFORMATION

AQUATIC TOXICITY >100 mg/l

> GHS 3 OF 4

SECTION XIII: DISPOSAL INFORMATION

Disposal Considerations: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE AND SHOULD NOT BE DISTRIBUTED, MADE AVAILABLE, FURNISHED OR REUSED EXCEPT FOR STORAGE AND SHIPMENT OF ORIGINAL PRODUCT.

SECTION XIV: TRANSPORTATION INFORMATION

DOT SHIPPING NAME: NOT REGULATED TECHNICAL SHIPPING NAME: NOT REGULATED

DOT HAZARD CLASSIFICATION

NOT APPLICABLE PRIMARY. SECONDARY: NOT APPLICABLE FREIGHT CLASSIFICATION: NOT REGULATED UN NUMBER: NOT APPLICABLE IMO HAZARD CLASS: NOT REGULATED

DOT LABELS REQUIRED: COMMUNITY RIGHT TO KNOW LABEL

EPA/DOT HAZARDOUS SUBSTANCE RQ: NOT APPLICABLE.

SECTION XV: REGULATORY INFORMATION

TSCA: ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCE CONTROL ACT.

APPROVED SUBSTANCE ON THE FOLLOWING INTERNATIONAL LISTS: ASIA-PAC

NZIoC

NOT REPORTABLE UNDER SARA TITLE III SEC: 302,304, 313 NOT KNOWN TO BE A FORBIDDEN AZO DYE (GERMAN LIST) NOT LISTED AS PROPOSITION 65 CHEMICAL

SECTION XVI: OTHER INFORMATION

FOR INDUSTRIAL USE ONLY

DISCLAIMER

Information contained herein is, to our best knowledge, true and accurate. It is offered for information only, as we cannot guarantee the results of processes not under our direct control.

NOT ESTABLISHED NOT APPLICABLE NΑ 10/14/22

Date of Last Revision:

REASON FOR UPDATE: FORMAT CHANGE

> 40F4 GHS



SAFETY DATA SHEET MX 3220 and 3222

ISSUE DATE: 5/25/21

1. PRODUCT IDENTIFICATION

RECOMMENDED PRODUCT USE . TEXTILE MANUFACTURING RESTRICTED PRODUCT USE FOR INDUSTRIAL USE ONLY

SUPPLIED BY PRO CHEMICAL & DYE.

126 SHOVE STREET FALL RIVER, MA 02724 PHONE: 508-676-3838

EMERGENCY CONTACT:

800-255-3924 ChemTel. (United States) + 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION

GHS Classification: Health Category 2A- Eye Irritant

Health Category 1B-Skin Sensitizer Health Category 5-Oral Toxicity



Pictogram:

Signal Word: Warning

Hazard Statements: H317: May Cause an Allergic Skin Reaction

H319: Causes Eye Irritation

H303: May be Harmful if Swallowed

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable

position for breathing.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary Reactive Orange
Eye irritant, possible skin sensitizer. May be harmful if swallowed

The exact percentages and the composition of materials have been withheld as a trade secret.

4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and

lower lids until no evidence of product remain. Get medical attention immediately. Do

not wear contact lenses while handling.

SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and

plenty of water. If a temporary skin reaction occurs, it should be treated as allergic

contact dermatitis. Launder contaminated clothing before reuse.

INGESTIONDilute with water. Get medical attention. Never give fluids or induce vomiting if

patient is unconscious or has convulsions.

INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably

mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

5. FIREFIGHTING MEASURES

FLASH POINT Not Applicable

EXTINGUISHING MEDIA CO2, Dry Chemical, Foam, Water

SPECIAL FIRE FIGHTING PROCEDURESIUNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice. Handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIDLITIES

Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area.

Keep the container tightly sealed and away from any incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES: Avoid contact with eyes and skin. Immediately remove all

contaminated clothing.

EYE PROTECTIONEmployees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve

shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from

food and drink stuffs.

RESPIRATORY PROTECTIONInhalation of dust and aerosols must be absolutely prevented by the use

of a NIOSH approved dust respirator.

VENTILATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL AND CHEMICAL POPERTIES

APPEARANCE	POWDER		
COLOR	. YELLOW		
ODOR	NONE		
SOLUBILITY IN WATER	> 100 g/l at 90 deg C		
ODOR THRESHOLD	ND		
SOLUBILITY IN WATER	100 g/l @ 60 C		
BULK DENSITY	. 500 - 800 kg/m3		
RELATIVE DENSITY	NA		
VISCOSITY			
pH	7.0-7.5		
MELTING POINT/FREEZING F	POINTND		
PARTITION COEFFICIENT: N-	OCTANOLWATER	ND	
BOILING POINT	ND		
VAPOR PRESSURE	ND		
VAPOR DENSITY	ND		
EVAPORATION RATE	ND		
FLAMMABILITY	NON COMBUSTABLE		
FLASH POINT	> 212 F		
INGINITION TEMP	ND		
DECOMPOSITION TEMPERA	TURE ND		
UEL	ND		
LEL	ND		
% VOLATILE:	VALUE: 0.0	UNIT: %	COMMENT:

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)>4000 mg/l (rats)

EYE EFFECTSIRRITANT (RABBIT EYE)
SKIN EFFECTSNON-IRRITANT (RABBIT)

SENSITIZATIONMAY CAUSE SENSITIAZTION BY SKIN

CONTACT.

PRIMARY ROUTE OF EXPOSURE

INHALATION: YES SKIN ABSORPTION: NO INGESTION: NO

SKIN CONTACT: YES EYE CONTACT: YES

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO

HMIS: 2 I 0 E

CHRONIC EFFECTS OF OVEREXPOSURE

None known.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Eye irritant. May cause skin and respiratory tract irritation. Reactive dyes may cause sensitization in some

people.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin or eye conditions may be more susceptible to the effects of this product.

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: < 10%

BACTERIA TOXICITY: > 10 ml/l (3 hour activated sludge)

AOX: 6.5 % COD: ND

13. DISPOSAL CONSIDERATIONS

PRODUCT:If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312: Immediate (acute) health hazard Yes

Delayed (chronic) health hazard Yes
Fire hazard No
Sudden Release of Pressure No
Reactivity No

CALIFORNIA PROPOSITION 65: This product contains components currently on the California
List of Known Carcinogens and reproductive Toxins.

Formaldehyde (50-00-0) 77.8 ppm

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

Creation date: March 28, 2017 Revision date: May 25, 2021



SAFETY DATA SHEET MX 319, 320 and 336

SECTION I: IDENTIFICATION

PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724 508-676-3838 800-228-9393

Trade Name ... : MX 319, 320 and 336

SECTION 11: HAZARDOUS INGREDIENTS

SIGNAL WORD: WARNING MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR

ACUTE TOXICITY CLASSIFICATION: CATEGORY5

NONE REQUIRED PICTOGRAM:

HAZARD STATEMENTS: NONE REQUIRED

PRECAUTIONARY STATEMENT:
P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOUR/SPRAY

AVOID RELEASE TO ENVIRONMENT WEAR PPE AS REQUIRED P273

P281

IF SWALLOWED: RINSE MOUTH - DO NOT INDUCE VOMITING
IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAPY WATER
IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING P301+330+331

P302+350 P304

P314

GET MEDICAL ATTENTION IF YOU FEEL UNWELL
DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL P501

REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS

SECTION III: COMPOSITION INFORMATION

Chemical Name: AZO

100% PROPRIETARY REACTIVE DYE

SECTION IV: FIRST-AID MEASURES

Eyes: IMMEDIATE AND CONTINUOUS IRRIGATION WITH FLOWING WATER FOR AT

LEAST FIFTEEN MINUTES. CONSULT PHYSICIAN IF IRRITATION OCCURS.
...: IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER. WASH WELL WITH SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Ingestion:: IF CONSCIOUS, GIVE TWO GLASSES OF WATER TO DILUTE. ONLY INDUCE VOMITING IF ADVISED BY POISON CONTROL CENTER. Inhalation: REMOVE TO FRESH AIR. IF EFFECTS OCCUR, CONSULT PHYSICIAN.

ACUTE/IMMEDIATE EFFECTS:

SLIGHT IRRITATION OF EYES AND SKIN

CHRONIC/DELAYED EFFECTS:

NONE KNOWN

GHS 1 OF4

SECTION V: FIRE FIGHTING MEASURES

Extinquishing Media: WATER SPRAY, DRY CHEMICALS, FOAM OR CARBON DIOXIDE.

Special Fire Fighting Procedures .. : FIREFIGHTERS SHOULD WEAR FULL-FACE, SELF-CONTAINED BREATHING APPARATUS AND IMPERVIOUS PROTECTIVE CLOTHING.

Unusual Fire and Explosion Hazards: NONE EXPECTED

Flash Point and Method	: N.A.	Flamma	ble Limits	LEL: N.A.	UEL: N.A.
NFPA Fire Hazards Code		Key	HMIS Codes	;	
HEALTH FIRE REACTIVITY SPECIFIC	1 1 0 NA	0-MINIMAL 1-SLIGHT 2-MODERATE 3-SERIOUS 4-SEVERE	1. 1 0 NE		

SECTION VI: ACCIDENTAL RELEASE MEASURES

ALWAYS WEAR PROPER PROTECTIVE CLOTHING AND RESPIRATORY PROTECTION. MIX MATERIAL WITH SWEEPING COMPOUND TO MINIMIZE DUSTING WHILE SWEEPING UP AND CONTAINING. VACUUM CONTAMINATED AREA.

KEEP AWAY FROM DRAINS, SURFACE AND GROUND WATER.

REMOVE ANY SOURCES OF POTENTIAL IGNITION.

SECTION VII: HANDLING AND STORAGE

AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. STORE IN A DRY PLACE AWAY FROM EXCESSIVE HEAT, IN ORIGINAL OR SIMILAR WATERPROOF CONTAINERS.
RESEAL CONTAINERS IMMEDIATELY AFTER USE.

MAINTAIN GOOD HOUSEKEEPING TO AVOID DUST BUILD UP. AVOID INGESTION, EYE AND SKIN CONTACT. MINIMIZE INHALATION EXPOSURE BY USING DUST RESPIRATOR. WASH HANDS AFTER WEIGHING DYE TO AVOID CONTACT OF THE SKIN OR EYES WITH CONTAMINATED HANDS. A SENSITIZED INDIVIDUAL SHOULD NOT BE EXPOSED TO THE PRODUCT WHICH CAUSED THE SENSITIZATION.

MINIMALIZE RELEASE OF SUBSTANCE INTO THE ENVIRONMENT

SECTION VIII: EXPOSURE CONTROLS/PPE

Ventilation.....: USE LOCAL EXHAUST VENTILATION TO MINIMIZE EXPOSURE.
MAINTAIN AIR CONCENTRATIONS BELOW OCCUPATIONAL EXPOSURE STANDARDS WHEN POSSIBLE

Respiratory.....: A NIOSH/MSHA APPROVED DUST RESPIRATOR SHOULD BE WORN.

2 OF 4 GHS

Eye Protection .: WEAR SIDE-SHIELD SAFETY GLASSES OR CHEMICAL SAFETY GOGGLES.

Skin: WEAR APPROPRIATE PROTECTIVE CLOTHING,

WEAR IMPERVIOUS GLOVES AS A STANDARD HANDLING PROCEDURE.

DELUGE SAFETY SHOWER, AND EYE WASH STATION SHOULD BE IN VICINITY OF WORK AREA

All chemicals should be handled so as to prevent eye contact and excessive or repeated skin contact. Appropriate eye and skin protection should be employed. Inhalation of dusts and vapors should be avoided.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: POWDER

COLOR: ORANGE

ODOR: SOLUBILITY: SLIGHTLY AROMATIC COMPLETELY

SOLUBLE IN WATER N.E.

pH: MEL TING POINT: N.A.

BOILING POINT: FLASH POINT: METHOD: N.E.

LEL: N.E. LUL: N.E. N.E. N.A

AUTO IGNITION TEMP:
DECOMPOSITION TEMP:
N.A. N.A

VISCOSITY:

SECTION X: STABILITY AND REACTIVITY

STABLE UNDER NORMAL STORAGE CONDITIONS.

Incompatability (Materials to Avoid): OXIDIZING AND REDUCING AGENTS.

Hazardous Decomposition Products \ldots : BURNING WILL PRODUCE OXIDES OF CARBON, NITROGEN AND SULFUR.

Hazardous Polymerization: WILL NOT OCCUR UNDER NORMAL CONDITIONS.

SECTION XI: TOXICOLOGICAL INFORMATION

(ORAL) >2,000 (DERMAL) N.E. LD-50: MG/KG (RAT)

LD-50:

LC50 NE.

SKIN AND EYES ROUTE OF EXPOSURE:

N.E. TLV:

EFFECTS IF OVEREXPOSURE:

ACUTE: SLIGHT IRRITATION OF EYES AND /OR SKIN CHRONIC: NO KNOWN CHRONIC ILL EFFECTS.

SECTION XII: ECOLOGICAL INFORMATION

AQUATIC TOXICITY >100 mg/l

> GHS 3 OF 4

SECTION XIII: DISPOSAL INFORMATION

Disposal Considerations: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE AND SHOULD NOT BE DISTRIBUTED, MADE AVAILABLE, FURNISHED OR REUSED EXCEPT FOR STORAGE AND SHIPMENT OF ORIGINAL PRODUCT.

SECTION XIV: TRANSPORTATION INFORMATION

DOT SHIPPING NAME: NOT REGULATED TECHNICAL SHIPPING NAME: NOT REGULATED

DOT HAZARD CLASSIFICATION

NOT APPLICABLE NOT APPLICABLE PRIMARY. SECONDARY: FREIGHT CLASSIFICATION: NOT REGULATED UN NUMBER: NOT APPLICABLE IMO HAZARD CLASS: NOT REGULATED

DOT LABELS REQUIRED: COMMUNITY RIGHT TO KNOW LABEL

EPA/DOT HAZARDOUS SUBSTANCE RQ: NOT APPLICABLE.

SECTION XV: REGULATORY INFORMATION

TSCA: ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCE CONTROL ACT.

APPROVED SUBSTANCE ON THE FOLLOWING INTERNATIONAL LISTS: ENCS ASIA-PAC

NOT REPORTABLE UNDER SARA TITLE III SEC: 302,304, 313 NOT KNOWN TO BE A FORBIDDEN AZO DYE (GERMAN LIST) NOT LISTED AS PROPOSITION 65 CHEMICAL

SECTION XVI: OTHER INFORMATION

FOR INDUSTRIAL USE ONLY

DISCLAIMER

Information contained herein is, to our best knowledge, true and accurate. It is offered for information only, as we cannot guarantee the results of processes not under our direct control.

NOT ESTABLISHED t Revision: 10/14/22 N.A. NOT APPLICABLE

Date of Last Revision:

REASON FOR UPDATE: FORMAT CHANGE

> 40F4 GHS



SAFETY DATA SHEET MX300 and MX301

PRINT DATE: 4/6/17

1. PRODUCT IDENTIFICATION

PRODUCT NAME SCARLET MX 300

CHEMICAL FAMILY REACTIVE AZO DYESTUFF MIXTURE

T.S.C.A. STATUS COMPLIANCE

RECOMMENDED PRODUCT USE..TEXTILE MANUFACTURING RESTRICTED PRODUCT USE . FOR INDUSTRIAL USE ONLY

SUPPLIED BY PRO CHEMICAL & DYE

126 SHOVE STREET FALL RIVER, MA 02724 PHONE: 508-676-3838

Emergency Telephone Numbers:

800-255-3924 ChemTel. (United States)

+ 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION

GHS Classification: Health Category 2A- Eye Irritant

Health Category 1-Skin Sensitizer Health Category 5-0ral Toxicity

Environmental Category 3-Chronic Aquatic Toxicity



Pictogram:

Signal Word: Warning

Hazard Statements: H317: May: Cause an Allergic Skin Reaction

H319: Causes Serious Eye Irritation

H412: Harmful to Aquatic Life with Long-Lasting Effects

H303: May be Harmful if Swallowed

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a

comfortable position for breathing.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary Reactive Red Causes serious eye irritation. May cause an allergic skin reaction.

The exact ingredient percentages and composition of non-hazardous components have been withheld as a trade secret.

4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do

not wear contact lenses while handling.

SKIN CONTACTRemove all contaminated clothing immediately. Wash immediately with soap

and plenty of water. If a temporary skin reaction occurs, it should be treated as

allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTIONDilute with water. Get medical attention. Never give fluids or induce vomiting if

patient is unconscious or has convulsions.

INHALATIONIf inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably

mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS. BOTH ACUTE AND DELAYED

The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

5. FIREFIGHTING MEASURES

FLASH POINT Not Applicable

EXTINGUISHING MEDIA Dry Chemical, Foam, Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice. Handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing. EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve

shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTIONInhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	POWDER		
COLOR	RED		
ODOR	NONE		
ODOR THRESHOLD	ND		
SOLUBILITY IN WATER	100 g/l @ 60 C		
BULK DENSITY	•		
RELATIVE DENSITY	_		
VISCOSITY	ND		
pH	7.0 - 7.5		
MELTING POINT/FREEZING			
PARTITION COEFFICIENT:	N-OCTANOL/WATER	ND	
BOILING POINT	ND		
VAPOR PRESSURE	ND		
VAPOR DENSITY	ND		
EVAPORATION RATE	ND		
FLAMMABILITY	NON COMBUSTABLE		
FLASH POINT	> 212 F		
INGINITION TEMP	ND		
DECOMPOSITION TEMPER	RATURE ND		
UEL	ND		
LEL	ND		
%VOLATILE:	VALUE: 0.70	UNIT: %	COMMENT: de-dusting oil
			_

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)> 2000 (RAT)

EYE EFFECTSIRRITANT

SKIN EFFECTSNON-IRRITANT

SENSITIZATIONSENSITIZER (MOUSE)

PRIMARY ROUTE OF EXPOSURE

YES SKIN ABSORPTION: YES EYE CONTACT: NO INGESTION: NO INHALATION:

SKIN CONTACT: YES

CARCINOGEN STATUS

NO OSHA: NO IARC:

NTP: NO

HMIS: 210 E

CHRONIC EFFECTS OF OVEREXPOSURE

This product belongs to a class of dyestuffs in which occasional cases of respiratory sensitization have been observed. Such attacks can be fatal. Prolonged or repeated contact with this material might increase the likelihood of an individual developing a sensitization to this material. Individuals with known allergies should avoid all contact with this product.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Irritating to the eyes, skin, and respiratory tract. May cause allergic respiratory reaction in certain individuals. Symptoms include coughing, tightness of chest, shortness of breath and other asthma like symptoms. It is possible that subsequent dermal exposures may cause the same symptoms in sensitized individuals. Individuals with chronic respiratory illness may be more susceptible to the effects of this material.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: ND BACTERIA TOXICITY: ND AOX: > 6.0%

13. DISPOSAL CONSIDERATIONS

PRODUCT: If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312: Immediate (acute) health hazard Yes

Delayed (chronic) health hazard Yes
Fire hazard No
Sudden Release of Pressure No
Reactivity No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product contains the following components currently on the California List of Known Carcinogens and reproductive Toxins.

FORMALDEHYDE (50-00-0) 122 ppm

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 28, 2017 MSDS Revised: March 28, 2017



SAFETY DATA SHEET

MX 305, MX 302, MX 3112, MX 331, MX 332, MX3142 and MX 3216

PRO CHEMICAL & DYE 126 SHOVE STREET FALL RIVER, MA 02724 508-676-3838 800-228-9393

SECTION I: IDENTIFICATION

Trade Name ... : MX 305, MX 302, MX 312, MX 331, MX 332, MX3142 and MX 3216

SECTION II: HAZARDOUS INGREDIENTS

SIGNAL WORD: WARNING MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR

ACUTE TOXICITY CLASSIFICATION: **CATEGORY 5**

PICTOGRAM: NONE REQUIRED

HAZARD STATEMENTS: NONE REQUIRED

PRECAUTIONARY STATEMENT:
P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOUR/SPRAY

AVOID RELEASE TO ENVIRONMENT WEAR PPE AS REQUIRED P273

P281

P301+330+331 IF SWALLOWED: RINSE MOUTH - DO NOT INDUCE VOMITING P302+350

IF ON SKIN: GENTLY WASH WITH PLENTY OF SOAPY WATER IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING P304

P314 GET MEDICAL ATTENTION IF YOU FEEL UNWELL

DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL P501

REGIONAUNATIONAUINTERNATIONAL REGULATIONS

SECTION III: COMPOSITION INFORMATION

Chemical Name: AZO DICHLOROTRIAZINE

100% PROPRIETARY REACTIVE DYE

SECTION IV: FIRST-AID MEASURES

Eyes: IMMEDIATE AND CONTINUOUS IRRIGATION WITH FLOWING WATER FOR AT

LEAST FIFTEEN MINUTES. CONSULT PHYSICIAN IF IRRITATION OCCURS.
Skin: IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER. WASH WELL WITH SOAP AND

WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Ingestion.: IF CONSCIOUS, GIVE TWO GLASSES OF WATER TO DILUTE. ONLY INDUCE VOMITING IF ADVISED BY POISON CONTROL CENTER. Inhalation: REMOVE TO FRESH AIR. IF EFFECTS OCCUR, CONSULT PHYSICIAN.

ACUTE/IMMEDIATE EFFECTS: SLIGHT IRRITATION OF EYES AND SKIN

CHRONIC/DELAYED EFFECTS: NONE KNOWN

1 OF 4

SECTION V: FIRE FIGHTING MEASURES

Extinguishing Media: WATER SPRAY, DRY CHEMICALS, FOAM OR CARBON DIOXIDE.

Special Fire Fighting Procedures .. : FIREFIGHTERS SHOULD WEAR FULL-FACE, SELF-CONTAINED BREATHING APPARATUS AND IMPERVIOUS PROTECTIVE CLOTHING.

Unusual Fire and Explosion Hazards: NONE EXPECTED

Flash Point and Method: N.A.		Flammable Limits		LEL: N.A.	UEL: N.A.
NFPA Fire Hazards Code		Key	HMIS Codes	3	
HEALTH FIRE REACTIVITY SPECIFIC	1 1 0 NA	0-MINIMAL 1-SLIGHT 2-MODERATE 3-SERIOUS 4-SEVERE	1 1 0 NE		

SECTION VI: ACCIDENTAL RELEASE MEASURES

ALWAYS WEAR PROPER PROTECTIVE CLOTHING AND RESPIRATORY PROTECTION. MIX MATERIAL WITH SWEEPING COMPOUND TO MINIMIZE DUSTING WHILE SWEEPING UP AND CONTAINING. VACUUM CONTAMINATED AREA.

KEEP AWAY FROM DRAINS, SURFACE AND GROUND WATER.

REMOVE ANY SOURCES OF POTENTIAL IGNITION.

SECTION VII: HANDLING AND STORAGE

AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. STORE IN A DRY PLACE AWAY FROM EXCESSIVE HEAT, IN ORIGINAL OR SIMILAR WATERPROOF CONTAINERS.
RESEAL CONTAINERS IMMEDIATELY AFTER USE.

MAINTAIN GOOD HOUSEKEEPING TO AVOID DUST BUILD UP. AVOID INGESTION, EYE AND SKIN CONTACT. MINIMIZE INHALATION EXPOSURE BY USING DUST RESPIRATOR. WASH HANDS AFTER WEIGHING DYE TO AVOID CONTACT OF THE SKIN OR EYES WITH CONTAMINATED HANDS. A SENSITIZED INDIVIDUAL SHOULD NOT BE EXPOSED TO THE PRODUCT WHICH CAUSED THE SENSITIZATION.

MINIMALIZE RELEASE OF SUBSTANCE INTO THE ENVIRONMENT

SECTION VIII: EXPOSURE CONTROLS/PPE

Ventilation.....: USE LOCAL EXHAUST VENTILATION TO MINIMIZE EXPOSURE.
MAINTAIN AIR CONCENTRATIONS BELOW OCCUPATIONAL EXPOSURE STANDARDS WHEN POSSIBLE

Respiratory.....: A NIOSH/MSHA APPROVED DUST RESPIRATOR SHOULD BE WORN.

2 0F4 GHS

Eye Protection .: WEAR SIDE-SHIELD SAFETY GLASSES OR CHEMICAL SAFETY GOGGLES.

.....: WEAR APPROPRIATE PROTECTIVE CLOTHING,

WEAR IMPERVIOUS GLOVES AS A STANDARD HANDLING PROCEDURE.

DELUGE SAFETY SHOWER, AND EYE WASH STATION SHOULD BE IN VICINITY OF WORK AREA

All chemicals should be handled so as to prevent eye contact and excessive or repeated skin contact. Appropriate eye and skin protection should be employed. Inhalation of dusts and vapors should be avoided .

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: POWDER COLOR:

SLIGHTLY AROMATIC COMPLETELY ODOR:

SOLUBILITY: SOLUBLE IN WATER

N.E. N.A. pH: MELTING POINT: BOILING POINT: FLASH POINT: N.A.

METHOD: N.E. LEL: N.E. LUL: N.E. N.E.

AUTO IGNITION TEMP: DECOMPOSITION TEMP: N.A N.A N.A VISCOSITY:

SECTION X: STABILITY AND REACTIVITY

STABLE UNDER NORMAL STORAGE CONDITIONS.

Incompatability (Materials to Avoid): OXIDIZING AND REDUCING AGENTS.

Hazardous Decomposition Products....: BURNING WILL PRODUCE OXIDES OF CARBON, NITROGEN AND SULFUR.

Hazardous Polymerization...... WILL NOT OCCUR UNDER NORMAL CONDITIONS.

SECTION XI: TOXICOLOGICAL INFORMATION

MG/KG MG/KG (ORAL) >2,000 LD-50: (DERMAL) > 2,000 LD-50: LEUCISCUS IDUS

LC50 > 100 mg/l 48 HOUR

SKIN AND EYES ROUTE OF EXPOSURE:

EFFECTS OF OVEREXPOSURE:

ACUTE: SLIGHT IRRITATION OF EYES AND IOR SKIN CHRONIC: NO KNOWN CHRONIC ILL EEE NO KNOWN CHRONIC ILL EFFECTS.

SECTION XII: ECOLOGICAL INFORMATION

BIODEGRADABILITY 25-50%

BACTERIA TOXICITY EC 50 > 1000 mg/l

> GHS 3 0F4

SECTION XIII: DISPOSAL INFORMATION

Disposal Considerations: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE AND SHOULD NOT BE DISTRIBUTED, MADE AVAILABLE, FURNISHED OR REUSED EXCEPT FOR STORAGE AND SHIPMENT OF ORIGINAL PRODUCT.

SECTION XIV: TRANSPORTATION INFORMATION

DOT SHIPPING NAME: NOT REGULATED TECHNICAL SHIPPING NAME: NOT REGULATED

DOT HAZARD CLASSIFICATION

PRIMARY:
SECONDARY:
NOT APPLICABLE
NOT APPLICABLE
FREIGHT CLASSIFICATION:
NOT REGULATED
UN NUMBER:
NOT APPLICABLE
IMO HAZARD CLASS:
NOT REGULATED

DOT LABELS REQUIRED: COMMUNITY RIGHT TO KNOW LABEL

EPA/DOT HAZARDOUS SUBSTANCE RQ: NOT APPLICABLE.

SECTION XV: REGULATORY INFORMATION

TSCA: ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCE CONTROL ACT.

APPROVED SUBSTANCE ON THE FOLLOWING INTERNATIONAL LISTS:

EINECS ENCS EGL DSL AICS PICCS ASIA-PAC

NZIoC

NOT REPORTABLE UNDER SARA TITLE III SEC: 302,304, 313 NOT KNOWN TO BE A FORBIDDEN AZO DYE (GERMAN LIST) NOT LISTED AS PROPOSITION 65 CHEMICAL

SECTION XVI: OTHER INFORMATION

FOR INDUSTRIAL USE ONLY

DISCLAIMER

Information contained herein is, to our best knowledge, true and accurate. It is offered for information only, as we cannot guarantee the results of processes not under our direct control.

N.E. NOT ESTABLISHED N.A NOT APPLICABLE

Date of Last Revision: 8/15/22

REASON FOR UPDATE: FORMAT CHANGE

4 0F4 GHS



SAFETY DATA SHEET

MX308, MX303, MX310, MX333, MX335, MX3208, and MX3221

PRINT DATE: 3/2/21

1. PRODUCT IDENTIFICATION

PRODUCT NAMEMX 308

CHEMICAL FAMILYAZO REACTIVE DYE

T.S.C.A. STATUSCOMPLIANCE

RECOMMENDED PRODUCT USE TEXTILE MANUFACTURING RESTRICTED PRODUCT USE ...FOR INDUSTRIAL USE ONLY

SUPPLIED BY

PRO Chemical & Dye 126 Shove Street Fall River, MA 02724 Phone: 508-676-3838 Fax: 508-676-3980

EMERGENCY CONTACT:

800-255-3924 ChemTel. (United States)

+ 1 01 813-248-0585 (Outside the United States)

2. HAZARDS IDENTIFICATION

GHS Classification: Health Category 2B- Eye Irritant

Health Category 3-Skin Irritant Health Category 5-Oral Toxicity

Environmental Category 3- Chronic Aquatic Toxicity

Pictogram: NONE

Signal Word: Warning

Hazard Statements: H316: Causes Mild Skin Irritation

H320: Causes Eye Irritation

H412: Harmful to Aquatic Life with Long-Lasting Effects

H303: May be Harmful if Swallowed

Precautionary Statements:

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: 'Do not breath dust/fume/gas/mist/vapors/spray

P273: Avoid release to the environment

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable

position for breathing.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary Reactive Red Eye and skin irritant. Harmful to aquatic life with long lasting effects

The exact ingredient percentages and composition of non-hazardous components have been withheld as a trade secret.

4. FIRST-AID MEASURES

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and

lower lids until no evidence of product remain. Get medical attention immediately. Do

not wear contact lenses while handling.

SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap

and plenty of water. If a temporary skin reaction occurs, it should be treated as

allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTION Dilute with water. Get medical attention. Never give fluids or induce vomiting if

patient is unconscious or has convulsions.

INHALATION If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably

mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

5. FIREFIGHTING MEASURES

FLASH POINT	 Not	Appli	cab	le	

EXTINGUISHING MEDIA Dry Chemical Foam Water Fog. (Do not use CO2)

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. ADDITIONAL INFORMATION Avoid dusting conditions. May form explosive dust mixtures with air.

6. ACCIDENTAL RELEASE MEASURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice. Handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES

Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area.

Keep the container tightly sealed and away from any incompatible materials (see Section 10).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve

shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep

away from food and drink stuffs.

RESPIRATORY PROTECTION......Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

OTHERWear overalls, apron or other protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	POWDER		
COLOR	RED		
ODOR	NONE		
ODOR THRESHOLD	. NA		
SOLUBILITY IN WATER	50 g/l @20 C		
BULK DENSITY	ND		
RELATIVE DENSITY	NA		
VISCOSITY	NA		
pH	7.5 - 8.5 (10.0 g/l 20 C	C)	
MELTING POINT/FREEZING	POINT NA		
PARTITION COEFFICIENT: N	N-OCTANOL/WATER	ND	
BOILING POINT	NA		
VAPOR PRESSURE	NA		
VAPOR DENSITY	NA		
EVAPORATION RATE	NA		
FLAMMABILITY	NA		
FLASH POINT	NA		
INGINITION TEMP	NA		
DECOMPOSITION TEMPERA	ATURE ND		
UEL	NA		
LEL			
% VOLATILE:	VALUE: ND	UNIT:%	COMMENT:

10. STABILITY AND REACTIVITY

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled of	correctly.
POSSIBILITY OF HAZARDOUS REACTIONS: None expected	
CHEMICAL STABILITYStable	
INCOMPATABLE MATERIALS: None	
HAZARDOUS DECOMPOSITION PRODUCTS CO2, CO, SULFUR OXIDES, NIT	FROGEN OXIDES
CONDITIONS TO AVOIDAvoid dusting conditions and sparks/flame.	
REACTIVITY Will not occur	

11. TOXICOLOGICAL INFORMATION

PRIMARY ROUTE OF EXPOSURE

INHALATION: YES SKIN ABSORPTION: NO INGESTION: NO

SKIN CONTACT: YES EYE CONTACT: YES

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO ACGIH: NO

CHRONIC EFFECTS OF OVEREXPOSURE

None known. Reactive dyes may cause skin and respiratory sensitization in some individuals.

Sensitization by this product has not been observed.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of

this product.

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: ND

BACTERIA TOXICITY EC50: ND COD: ND AOX: >5.0 %

13. DISPOSAL CONSIDERATIONS

PRODUCT: ...If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

SARA 312: Immediate (acute) health hazard No.

Delayed (chronic) health hazard No
Fire hazard No
Sudden Release of Pressure No
Reactivity No

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 761769IEEC.

CALIFORNIA PROPOSITION 65: This product contains components currently on the California
List of Known Carcinogens and reproductive Toxins

Formaldehyde (50-00-0) 94 ppm

16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 28, 2017 MSDS Revised: March 2, 2021